BOXLIGHT®

CH-20 Hi-Fi Speaker

Are you still concerned about how to create a better sound environment in future classrooms? Don't hesitate any longer – our CH-20 Hi-Fi speaker can offer you the best solution.

Full-range speaker, delivering sound and voice with exceptional realism.

By adopting Class D digital amplifier and high-efficiency speaker design, the output sensitivity reaches up to 92dB.



The built-in echo tube design presents stereo sound in the bass range, creating an immersive and surrounding atmosphere.

Crystal Clear sound surrounded

The high and low-pitched design further improves the response frequency ranging from 50Hz to 20KHz range. This speaker shows clear sound for teachers and students in the classroom.

High/low pitch optimization design

BOXLIGHT®

Flexible installation in any environment.

The unique patented design allows for flexible installation in the center ceiling, creating a surround sound atmosphere in any space.

CH-20W Hi-Fi speaker can be linked with interactive displays or projectors to create exceptional sound in the classroom for teaching and presentation.



Specification

Model	CH-20
Speaker spec.	
Amplifier	Class D
Wattage Output	20W Stereo
Speaker spec.	2.75" 10W/8Ω x2 full rang (high performance speaker)
SPL(Sound Presure Level)	92dB/W
Frequency Response	50Hz ~20kHz
Dimension	254.1 x 250 x 90mm
Weight	1.5Kg
Power Supply	Switching Power Supply DC12V/2A
Input	Audio in x1, DC in x1
Audio Auto Off	60sec
Accessories	Power code x1, Power adapter x1, 3.5mm audio cable x1, Sponges

*specification subject to change without notice.

BOXLIGHT®

BOXLIGHT-Asia Operation Center
http://www.boxlight-asia.com
Email: sales@boxlight-asia.com